

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/632,268	07/31/2003	Christian T. Gregory	42922-RBRES	5487		
22242	7590 09/20/2005		EXAM	EXAMINER		
	N TABIN AND FLAI LA SALLE STREET	KIM, CHRIS	KIM, CHRISTOPHER S			
SUITE 1600	DA GALDED STREET		ART UNIT	PAPER NUMBER		
CHICAGO, I	L 60603-3406		3752	- -		

DATE MAILED: 09/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			Take		
	Application No.	Applicant(s)			
Office Antique Comments	10/632,268	GREGORY ET AL.			
Office Action Summary	Examiner	Art Unit			
	Christopher S. Kim	3752			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence add	lress		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this cor D (35 U.S.C. § 133).	,		
Status					
1)⊠ Responsive to communication(s) filed on 30 J	une 2005.				
	action is non-final.				
3) Since this application is in condition for allowa	nce except for formal matters, pro	secution as to the	merits is		
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims					
4) ⊠ Claim(s) <u>1-26</u> is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-26</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the drawing(s) be held in abeyance. Settion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CF			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) \(\sum \) Notice of References Cited (PTO-892) 2) \(\sum \) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) \(\sum \) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	4)	ate	-152)		
Paper No(s)/Mail Date	6) Other:				

DETAILED ACTION

Response to Amendment

- 1. The response filed June 30, 2005 is acknowledged.
- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102

Nees discloses a nozzle comprising: a nozzle body 12; a plurality of ramps 56.

3. Claims 1-26, are rejected under 35 U.S.C. 102(b) as being anticipated by Hegstad (2,778,687).

Hegstad discloses a nozzle comprising: a nozzle body 10; a nozzle outlet 13; a front face plane (outside surface parallel with surface 23); a plurality of ramps 29, 31

Response to Arguments

4. Applicant's arguments filed June 30, 2005 have been fully considered but they are not persuasive.

Applicant argues that walls 31 of Hegsted have nothing to do with guiding water. Functional recitations merely require the ability to so perform. The ramp 31 is at the opening 20. It inherently guides the water. Applicant further argues that walls 31 do not angle forwardly and downwardly. Walls 31 do angle forwardly and downwardly and is evidenced by the boundary of walls 31 shown in figure 3.

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571) 272-4905. The examiner can normally be reached on Monday - Thursday, 6:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel can be reached on (571) 272-4919. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher S. Kim Primary Examiner Art Unit 3752

CK